



300-535^{Q&As}

Automating and Programming Cisco Service Provider Solutions
(SPAUTO)

Pass Cisco 300-535 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/300-535.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

```
curl -u john:password http://192.168.10.20
```

Refer to the exhibit. Which HTTP authentication mechanism is being used?

- A. simple
- B. basic
- C. OAuth
- D. token

Correct Answer: B

QUESTION 2

What is a key feature of YANG?

- A. use identification
- B. error prediction
- C. JAVA compatibility
- D. reusable types and groupings

Correct Answer: D

Reference: https://www.cisco.com/c/en/us/td/docs/optical/ncs1000/60x/b_Datamodels_cg_ncs1000/b_Datamodels_cg_ncs1000_chapter_00.html

QUESTION 3

Which statement describes the Cisco ESC core engine component?

- A. It interacts with the top orchestration layer using the REST and NETCONF/YANG NB APIs.
- B. It can be configured for high availability and cluster mode.
- C. It performs monitoring based on several monitoring methods.
- D. It manages transactions, validations, policies, workflows, VM state machines, and rollbacks.

Correct Answer: D



QUESTION 4

Which data format should be used to serialize structured data in the most compact way?

- A. protobufs
- B. YAML
- C. JSON
- D. XML

Correct Answer: B

Reference: <https://www.sitepoint.com/data-serialization-comparison-json-yaml-bson-messagepack/>

QUESTION 5

Which two commands generate a template using Cisco NSO to build a service package? (Choose two.)

- A. show running-config devices device ce-ios config ios:interface Loopback 0 | display template.xml
- B. show running-config devices device ce-ios config ios:interface Loopback 0 | display xml | save template.xml
- C. request running-config devices device ce-ios config ios:interface Loopback 0 | display xml
- D. show running-config devices device ce-ios config ios:interface Loopback 0
- E. show running-config devices device ce-ios config ios:interface Loopback 0 | display xml

Correct Answer: AC

QUESTION 6

Which Git command is needed to stage the file network-deploy.py to then commit the changes to the revision history?

- A. git init network-deploy.py
- B. git add network-deploy.py
- C. git merge network-deploy.py
- D. git commit network-deploy.py

Correct Answer: B

QUESTION 7



```
<?xml version= "1.0" encoding= "UTF-8" ?>
<employees>
  <employee>
    <id>1</id>
    <firstName>Jane</firstName>
    <firstName>Doe</lastName>
  </employee>
  <employee>
    <id>2</id>
    <firstName>Tim</firstName>
    <lastName>Public</lastName>
  </employee>
  <employee>
    <id>3</id>
    <firstName>John</firstName>
    <lastName>Doe</latName>
  </employee>
</employees>
```

Refer to the exhibit. Using the provided XML snippet, which Xpath expression prints "Jane"?

- A. //employee[1]/firstName/value()
- B. //employee[0]/firstName/value()
- C. //employee[1]/firstName/text()
- D. //employee[0]/firstName/text()

Correct Answer: D

QUESTION 8



```
def main():
    """
    Main method that prints netconf capabilities of device.
    """
    device = {"ip": "10.2.101.11", "port": "830", "platform":
"csr",}
    with manager.connect(host=device['ip'],
port=device['port'], username='admin',
password='cisco.123',
hostkey_verify=False,
device_params=('name':
device['platform']),
look_for_keys=False,
allow_agent=False) as m:
    rpc = '''
        <config>
            <native
xmlns= "http://cisco.com/ns/yang/Cisco-IOS-XE-native">
                <router>
                    <ospf
xmlns= "http://cisco.com/ns/yang/Cisco-IOS-XE-ospf">
                        <id>100</id>
                        <router-id>1.1.1.1</router-id>
                        <network>
                            <ip>10.1.1.0</ip>
                            <mask>0.0.0.3</mask>
                            <area>0</area>
                        </network>
                    </ospf>
                </router>
            </native>
        </config>
    '''
    reply = m.edit_config(rpc, target='running')
    print(reply)
if __name__ == '__main__':
    main()
```

Refer to the exhibit. The ncclient Python script is captured from the ncclient import manager. Which configuration on the Cisco IOS XE device is the script used to enable?

A. router ospf 100 router-id 1.1.1.1 network 10.1.1.0 0.0.0.3 area 0



- B. router ospf 100 network 10.1.1.0 0.0.0.3 area 0
- C. router ospf 100 router-id 10.1.1.0 network 1.1.1.1 0.0.0.3 area 0
- D. router ospf 100 router-id 1.1.1.1

Correct Answer: A

QUESTION 9

```
RP/0/RP0/CPU0:XR_CORE666#conf t
Fri May 19 10:45:31.136 UTC
RP/0/RP0/CPU0:XR_CORE666(config)#pce
RP/0/RP0/CPU0:XR_CORE666(config-pce)#address ipv4 10.10.0.15
RP/0/RP0/CPU0:XR_CORE666(config-pce)#commit
```

Refer to the exhibit. XTC has been configured by an engineer. What does the IPv4 address represent on the snippet?

- A. local address of the router on which it listens for PCEP
- B. configured for the local peer for state synchronization
- C. destination address of the router on which it listens for PCEP
- D. configured for the remote peer for state synchronization

Correct Answer: A

Reference: <http://ipnetworkgeek.blogspot.com/2017/05/path-disjointness-with-ios-xr-traffic.html>

QUESTION 10

An engineer needs to configure network devices in an automated way. Which two ways are used to create structured data using YANG to provide REST-like APIs to enable programmability access? (Choose two.)

- A. YAML
- B. JSON
- C. GPB
- D. JSON-RPC
- E. XML

Correct Answer: BE

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/prog/configuration/166/b_166_programmability_cg/restconf_prog_int.pdf



QUESTION 11

What is an interior YANG data node that exists in at most one instance in the data tree and has no value?

- A. listing node
- B. tree node
- C. container node
- D. leaf node

Correct Answer: C

QUESTION 12

```
def configure_ip_address(interface, ip, length):
    url = BASE_URL + "/data/ietf-interfaces:interfaces/interface={i}".format(
        i = interface
    )
    data = OrderedDict(
        [
            (
                "ietf-interfaces:interface",
                OrderedDict(
                    [
                        ("name", interface),
                        ("type", "iana-if-type:ethernetCsmacd"),
                        (
                            "ietf-ip:ipv6",
                            OrderedDict(
                                [
                                    (
                                        "address",
                                        [OrderedDict([("ip", ip), ("prefix-length", length)])],
                                    )
                                ]
                            )
                        )
                    ]
                )
            )
        ]
    )

    response = requests.put(
        url, auth=(USERNAME, PASSWORD), headers=HEADERS, verify=False, json=data
    )
    print(response.status_code)

configure_ip_address("GigabitEthernet2", "2001:db8:636c:6179:2063:7572:7469:7300", "64")
```

Refer to the exhibit. What is the effect of the script on the device?

- A. All interfaces except GigabitEthernet2 are reset to their default configurations.



- B. It replaces the entire configuration for GigabitEthernet2 on the device using RESTCONF.
- C. It merges the new configuration with the existing configuration on the device using RESTCONF.
- D. It compares the configuration to the device. If it matches, the device sends back an HTTP 204 status code.

Correct Answer: C

QUESTION 13

The Netmiko BaseConnection class contains a method called "send_config_set()". Which two actions does this method perform on the device? (Choose two.)

- A. It takes a filename parameter that executes commands contained in that file on the device.
- B. It requires the user to explicitly send configure terminal and exit commands to the device to enter and exit configuration mode.
- C. It automatically enters and exits configuration mode on the device.
- D. It takes a Python iterable, such as a list of commands, and executes them in order on the device.
- E. It saves the running configuration to the startup configuration after executing the configuration commands on the device.

Correct Answer: CD

QUESTION 14

An automation engineer is trying to configure a destination group to use dial-out telemetry with gRPC on a Cisco IOS XR platform. The template created is failing to apply. Which parameters must be configured?

- A. source IP address, source port, encoding, and sampling interval
- B. source IP address, source port, encoding, and protocol
- C. destination IP address, destination port, encoding, and sensor path
- D. destination IP address, destination port, encoding, and protocol

Correct Answer: D

Reference: https://www.cisco.com/c/en/us/td/docs/iosxr/asr9000/telemetry/b-telemetry-cg-asr9000-61x/b-telemetry-cg-asr9000-61x_chapter_010.html

QUESTION 15



```
tasks:
- name: run show version on remote devices
  iosxr_command:
    commands: show version
```

Refer to the exhibit. What must be added after the last line of the Ansible playbook to check if the output contains "IOS-XR"?

- A. wait_for: result[1] contains "IOS-XR"
- B. wait_for: result[0] contains IOS-XR
- C. notify: "IOS-XR"
- D. wait_for_connection:

Correct Answer: B

[300-535 Practice Test](#)

[300-535 Study Guide](#)

[300-535 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © lead4pass, All Rights Reserved.