



# 300-735<sup>Q&As</sup>

Automating and Programming Cisco Security Solutions (SAUTO)

## Pass Cisco 300-735 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/300-735.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

DRAG DROP

Drag and drop the code to complete the URL for the Cisco AMP for Endpoints API POST request so that it will add a sha256 to a given file\_list using file\_list\_guid.

Select and Place:

https://api.amp.cisco.com/v1

/ [ ] / [ ] / [ ] / [ ]

files	file_lists
{:sha256}	{:file_list_guid}

Correct Answer:

https://api.amp.cisco.com/v1

/ file\_lists / {:file\_list\_guid} / files / {:sha256}


Reference: [https://api-docs.amp.cisco.com/api\\_actions/details?api\\_action=POST+%2Fv1%2Ffile\\_lists%2F%7B%3Afile\\_list\\_guid%7D%2Ffiles%2F%7B%3Asha256%7D&api\\_host=api.eu.amp.cisco.com&api\\_resource=File+List+Item&api\\_version=v1](https://api-docs.amp.cisco.com/api_actions/details?api_action=POST+%2Fv1%2Ffile_lists%2F%7B%3Afile_list_guid%7D%2Ffiles%2F%7B%3Asha256%7D&api_host=api.eu.amp.cisco.com&api_resource=File+List+Item&api_version=v1)

### QUESTION 2



```
{
  "version": "v1.2.0",
  "metadata": {
    "links": {
      "self":
    },
    "results": {
      "total": 33,
      "current_item_count": 33,
      "index": 0,
      "items_per_page": 500
    }
  },
  "data": [
    {
      "connector_guid": "0e37a552-2cdd-4178-b29e-1be15598d730",
      "hostname": "Demo_AMP",
      "active": true,
      "links": {
        "computer": "0e37a552-2cdd-4178-b29e-1be15598d730",
        "trajectory": "0e37a552-2cdd-4178-b29e-1be15598d730/trajectory",
        "group": "6c3c2005-4c74-4ba7-8dbb-c4d5b6baf03"
      }
    }
  ]
}
```

Refer to the exhibit.

Which URL returned the data?

- A. <https://api.amp.cisco.com/v1/computers>
- B. <https://api.amp.cisco.com/v0/computers>
- C. <https://amp.cisco.com/api/v0/computers>
- D. <https://amp.cisco.com/api/v1/computers>

Correct Answer: A

### QUESTION 3



```
import json
import requests

BASE_URL = "https://investigate.api.umbrella.com"
HEADERS = {"Authorization": "Bearer %YourToken%"}

---MISSING CODE---

request= requests.get(URL, parmas= PARAMS,
verify=False)
```

Refer to the exhibit. A network operator must create a Python script that makes an API request to Cisco Umbrella to do a pattern search and return all matched URLs with category information.

Which code completes the script?

- A. URL = BASE\_URL + "/find/exa[a-z]ple.com" PARAMS = { "categoryinclude" : "true"}
- B. URL = BASE\_URL + "/find/exa[a-z]ple.com" PARAMS = { "returncategory" : "true"}
- C. URL = BASE\_URL + "/find/exa[a-z]ple.com" PARAMS = { "includeCategory" : "true"}
- D. URL = BASE\_URL + "/find/exa[a-z]ple.com" PARAMS = { "returnCategory" : "true"}

Correct Answer: D

#### QUESTION 4

Which two destinations are supported by the Cisco Security Management Appliance reporting APIs? (Choose two.)

- A. email
- B. Microsoft Word file
- C. FTP
- D. web
- E. csv file

Correct Answer: AD

#### QUESTION 5

Which two event types can the eStreamer server transmit to the requesting client from a managed device and a management center? (Choose two.)



- A. user activity events
- B. intrusion events
- C. file events
- D. intrusion event extra data
- E. malware events

Correct Answer: BD

#### QUESTION 6

In Cisco AMP for Endpoints, which API queues to find the list of endpoints in the group "Finance Hosts," which has a GUID of 6c3c2005-4c74-4ba7-8dbb-c4d5b6baf03?

- A. [https://api.amp.cisco.com/v1/endpoints?group\[\]=6c3c2005-4c74-4ba7-8dbb-c4d5b6baf03](https://api.amp.cisco.com/v1/endpoints?group[]=6c3c2005-4c74-4ba7-8dbb-c4d5b6baf03)
- B. [https://api.amp.cisco.com/v1/computers?group\\_guid\[\]=6c3c2005-4c74-4ba7-8dbb-c4d5b6baf03](https://api.amp.cisco.com/v1/computers?group_guid[]=6c3c2005-4c74-4ba7-8dbb-c4d5b6baf03)
- C. [https://api.amp.cisco.com/v1/computers?group\\_guid-6c3c2005-4c74-4ba7-8dbb-c4d5b6baf03](https://api.amp.cisco.com/v1/computers?group_guid-6c3c2005-4c74-4ba7-8dbb-c4d5b6baf03)
- D. <https://api.amp.cisco.com/v1/endpoints?group-6c3c2005-4c74-4ba7-8dbb-c4d5b6baf03>

Correct Answer: B

#### QUESTION 7

```
import requests

headers = {
    'Authorization': 'Bearer ' + investigate_api_key
}

domains=["cisco.com", "google.com", "xreddfr.df"]

investigate_url= "https://investigate.api.umbrella.com/domains/categorization/"
values = str(json.dumps(domains))
response = requests.post(investigate_url, data=values, headers=headers)
```

Refer to the exhibit.

What does the response from the API contain when this code is executed?

- A. error message and status code of 403
- B. newly created domains in Cisco Umbrella Investigate
- C. updated domains in Cisco Umbrella Investigate



D. status and security details for the domains

Correct Answer: D

### QUESTION 8

```
import requests

URL = 'https://sma.cisco.com:6080/sma/api/v2.0/quarantining/messages/details?quarantineType=spam&device_type=esa'
HEADERS = {'Authorization': 'Basic Y2hlcGFlyWJSQSize'}

response = requests.get(URL, headers=HEADERS)
```

Refer to the exhibit. A security engineer attempts to query the Cisco Security Management appliance to retrieve details of a specific message. What must be added to the script to achieve the desired result?

- A. Add message ID information to the URL string as a URI.
- B. Run the script and parse through the returned data to find the desired message.
- C. Add message ID information to the URL string as a parameter.
- D. Add message ID information to the headers.

Correct Answer: C

### QUESTION 9

After changes are made to the Cisco Firepower Threat Defense configuration using the Cisco Firepower Device Manager API, what must be done to ensure that the new policy is activated?

- A. Submit a POST to the /api/fdm/latest/operational/deploy URI.
- B. Submit a GET to the /api/fdm/latest/operational/deploy URI.
- C. Submit a PUT to the /api/fdm/latest/devicesettings/pushpolicy URI.
- D. Submit a POST to the /api/fdm/latest/devicesettings/pushpolicy URI.

Correct Answer: A

### QUESTION 10

The Cisco Security Management Appliance API is used to make a GET call using the URI /sma/api/v2.0/reporting/mail\_incoming\_traffic\_summary/detected\_amp?startDate=2016-09-10T19:00:00.000Z&endDate=2018-0924T23:00:00.000Z&device\_type=esa&device\_name=esa01.

What does this GET call return?

- A. values of all counters of a counter group, with the device group name and device type for web



- B. value of a specific counter from a counter group, with the device name and type for email
- C. value of a specific counter from a counter group, with the device name and type for web
- D. values of all counters of a counter group, with the device group name and device type for email

Correct Answer: D

---

#### QUESTION 11

If the goal is to create an access policy with the default action of blocking traffic, using Cisco Firepower Management Center REST APIs, which snippet is used?



- A. - API PATH:  
/api/fmc\_config/v1/domain/<domain\_uid>/object/accesspolicies
- METHOD:  
POST
- INPUT JSON:
- ```
{  
  "type": "AccessPolicy",  
  "name": "AccessPolicy-test-1",  
  "defaultAction": {  
    "action": "BLOCK"  
  }  
}
```
- B. - API PATH:  
/api/fmc\_config/v1/domain/<domain\_uid>/object/securityzones
- METHOD:  
POST
- INPUT JSON:
- ```
{  
  "type": "AccessPolicy",  
  "name": "AccessPolicy-test-1",  
  "defaultAction": {  
    "action": "BLOCK"  
  }  
}
```
- C. - API PATH:  
/api/fmc\_config/v1/domain/<domain\_uid>/object/accesspolicies
- METHOD:  
PUT
- INPUT JSON:
- ```
{  
  "type": "AccessPolicy",  
  "name": "AccessPolicy-test-1",  
  "defaultAction": {  
    "action": "BLOCK"  
  }  
}
```





```
D.
- API PATH:
/api/fmc_config/v1/domain/<domain_uid>/object/accesspolicies

- METHOD:
POST

- INPUT JSON:
{
  "type": "AccessPolicy",
  "name": "AccessPolicy-test-1",
  "action": "FASTPATH"
}
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: D

**QUESTION 12**

DRAG DROP

Drag and drop the code to complete the Cisco Umbrella Investigate WHOIS query that returns a list of domains that are associated with the email address "admin@example.com". Not all options are used.

Select and Place:

"https://investigate.api.umbrella.com/ [ ] /  
[ ] / [ ]"

|                   |        |                     |
|-------------------|--------|---------------------|
| email             | emails | WHOIS               |
| admin@example.com | whois  | {admin@example.com} |

Correct Answer:



```
"https://investigate.api.umbrella.com/ WHOIS /  
emails / admin@example.com "
```

|       |       |                     |
|-------|-------|---------------------|
| email |       |                     |
|       | whois | {admin@example.com} |

Explanation: <https://docs.umbrella.com/investigate-api/docs/whois-information-for-a-domain-1>

### QUESTION 13

Which two commands create a new local source code branch? (Choose two.)

- A. git checkout -b new\_branch
- B. git branch -b new\_branch
- C. git checkout -f new\_branch
- D. git branch new\_branch
- E. git branch -m new\_branch

Correct Answer: AD

### QUESTION 14

DRAG DROP

A Python script is being developed to return the top 10 identities in an organization that have made a DNS request to "www.cisco.com".

Drag and drop the code to complete the Cisco Umbrella Reporting API query to return the top identities. Not all options are used.

Select and Place:



```
import requests

URL = 'https://reports.api.umbrella.com/v1/organizations/fe4936f9/
[ ] / [ ] / [ ]'

HEADERS = {'Authorization': 'Basic aGVsb29oYXVhYnd5YXNk'}

response = requests.get(URL, headers=HEADERS)
```

- |                                                |                                           |                                            |
|------------------------------------------------|-------------------------------------------|--------------------------------------------|
| <input type="text" value="security-activity"/> | <input type="text" value="destinations"/> | <input type="text" value="activity"/>      |
| <input type="text" value="www.cisco.com"/>     | <input type="text" value="identities"/>   | <input type="text" value="topIdentities"/> |

Correct Answer:

```
import requests

URL = 'https://reports.api.umbrella.com/v1/organizations/fe4936f9/
[ ] / [ ] / [ ]'

HEADERS = {'Authorization': 'Basic aGVsb29oYXVhYnd5YXNk'}

response = requests.get(URL, headers=HEADERS)
```

- |                                                |                                           |                                            |
|------------------------------------------------|-------------------------------------------|--------------------------------------------|
| <input type="text" value="security-activity"/> | <input type="text" value="destinations"/> | <input type="text" value="activity"/>      |
| <input type="text" value="www.cisco.com"/>     | <input type="text" value="identities"/>   | <input type="text" value="topIdentities"/> |

Reference: <https://docs.umbrella.com/umbrella-api/docs/reporting-destinations-most-recent-requests>

### QUESTION 15

What are two advantages of Python virtual environments? (Choose two.)

- A. Virtual environments can move compiled modules between different platforms.
- B. Virtual environments permit non-administrative users to install packages.
- C. The application code is run in an environment that is destroyed upon exit.
- D. Virtual environments allow for stateful high availability.
- E. Virtual environments prevent packaging conflicts between multiple Python projects.

Correct Answer: CE



VCE & PDF

Lead4Pass.com

<https://www.lead4pass.com/300-735.html>

2021 Latest lead4pass 300-735 PDF and VCE dumps Download

---

[Latest 300-735 Dumps](#)

[300-735 PDF Dumps](#)

[300-735 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success  
100% Money Back Guarantee  
365 Days Free Update  
Instant Download After Purchase  
24x7 Customer Support  
Average 99.9% Success Rate  
More than 800,000 Satisfied Customers Worldwide  
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.  
To update a previously submitted ticket:



|                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>One Year Free Update</b><br/>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p> |  <p><b>Money Back Guarantee</b><br/>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p> |  <p><b>Security &amp; Privacy</b><br/>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Any charges made through this site will appear as Global Simulators Limited.  
All trademarks are the property of their respective owners.  
Copyright © lead4pass, All Rights Reserved.