

350-801^{Q&As}

Implementing and Operating Cisco Collaboration Core Technologies (CLCOR)

Pass Cisco 350-801 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/350-801.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



2021 Latest lead4pass 350-801 PDF and VCE dumps Download

QUESTION 1

What is a characteristic of video traffic that governs QoS requirements for video?

- A. Video is typically variable bit rate.
- B. Voice and video traffic are different, but they have the same QoS requirements.
- C. Video is typically constant bit rate.
- D. Voice and video traffic are the same, so they have the same QoS requirements.

Correct Answer: A

Reference: https://www.cisco.com/c/en/us/td/docs/voice ip comm/cucm/srnd/collab11/cac.html

QUESTION 2

When configuring Cisco Unified Communications Manager, which configuration enables phones to automatically register to a Cisco Unified Communications publisher when the connection to the subscriber is lost?

- A. Cisco Unified CM Group
- B. Device Pool
- C. SRST
- D. Route Group

Correct Answer: A

QUESTION 3

What field is configured to change the caller ID information on a SIP route pattern?

- A. Route Partition
- B. Called Party Transformation Mask
- C. Calling Party Transformation Mask
- D. Connected Line ID Presentation

Correct Answer: D

Reference: https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/admin/10_0_1/ccmcfg/CUCM_BK_C95ABA82_00_admin-guide-100/CUCM_BK_C95ABA82_00_admin-guide-100_chapter_0100111.pdf

QUESTION 4

VCE & PDF Lead4Pass.com

https://www.lead4pass.com/350-801.html

2021 Latest lead4pass 350-801 PDF and VCE dumps Download

After an engineer runs the utils ntp status command on the Cisco Unified Communications Manager publisher, the stratum value is 16. Which issue can the Cisco Unified CM cluster experience?

- A. Unified CM sends an NTPV4 packet.
- B. Database replication is not synchronized on the Unified CM nodes.
- C. The cluster loses access to port 124 at the firewall.
- D. The date/time group on all phones defaults to the time zone of the engineer.

Correct Answer: B

QUESTION 5

Due to provider requirements, outgoing calls from the Enterprise to the PSTN must start with channel 1. Which ISDN command changes the channel selection an IOS to meet this requirement?

- A. isdn bchan-number-order decending
- B. isdn bchan-number-order ascending
- C. isdn protocol-emulate network
- D. isdn incoming-voice voice

Correct Answer: B

QUESTION 6

What are two key features of the Expressway series? (Choose two.)

- A. VPN connect toward the internal UC resources
- B. B2B calls
- C. IP to PSTN call connectivity
- D. Device registration over the internet
- E. SIP header modification

Correct Answer: BD

QUESTION 7

Which capability is supported by Cisco Discovery Protocol but not by LLDP-MED?

- A. LAN speed and duplex discovery
- B. network policy discovery

VCE & PDF Lead4Pass.com

https://www.lead4pass.com/350-801.html

2021 Latest lead4pass 350-801 PDF and VCE dumps Download

| C. | location | identification | discovery |
|----|----------|----------------|-----------|
| | | | |

D. power discovery

E. trust extension

Correct Answer: E

Cisco Discovery Protocol provides an additional capability not found in LLDP-MED that allows the switch to extend trust to the phone. In this case, the phone is now trusted to mark the packets received on the PC port accordingly. This feature can be used to off-load the switch because now it does not need to police the information being received from the phone.

Exam B

QUESTION 8

Which command in the MGCP gateway configuration defines the secondary Cisco Unified Communications Manager server?

A. mgcapp

B. ccm-manager fallback-mgcp

C. mgcp call-agent

D. ccm-manager redundant-host

Correct Answer: D

QUESTION 9

An engineer is designing a high availability and failover solution for two Cisco Unified Border Element routers. The first router (cube1.ab.com) takes 60% of the calls and the second router (cube2.abc.com) takes 40% of the calls. Assume all

DNS A records have been created.

Which two SRV records are needed for a load balanced solution? (Choose two.)

A. _sip._udp.abc.com 60 IN SRV 2 60 cube1.abc.com

B. _sip._udp.abc.com 60 IN SRV 60 1 cube1.abc.com

C. _sip._udp.abc.com 60 IN SRV 1 40 cube2.abc.com

D. _sip._udp.abc.com 60 IN SRV 3 60 cube2.abc.com

E. _sip._udp.abc.com 60 IN SRV 1 60 cube1.abc.com

Latest 350-801 Dumps | 350-801 VCE Dumps | 350-801 Braindumps

Correct Answer: CE

QUESTION 10

What is the function of the Cisco Unity Connection Call Handler?

- A. routes calls to a user based on caller input
- B. queues calls
- C. searches a list of extensions until the call is answered
- D. allows customized scripts for IVR capabilities

Correct Answer: A

QUESTION 11

Which design restriction applies to Cisco Unified Communications Manager Session Management Edition clustering over the WAN deployment with extended round-trip times in Cisco Unified CM 9.1 and later releases?

- A. SIP and H.323 intercluster trunks are supported.
- B. Only SIP trunk is supported.
- C. SIP trunks and H.323 gateways are supported.
- D. A minimum of 1.544 Mb/s bandwidth is required for all traffic between any two nodes in the cluster.
- E. Only RSVP agents can be configured and registered to the SME cluster as media resources.

Correct Answer: B

QUESTION 12

A Cisco TelePresence SX80 suddenly has issues displaying main video to a display over HDMI. Which command can you use from the SX80 admin CLI to check the video output status to the monitor?

- A. xStatus Video Output
- B. xCommand Video Status
- C. xConfiguration Video Output
- D. xStatus HDMI Output

Correct Answer: A

2021 Latest lead4pass 350-801 PDF and VCE dumps Download

QUESTION 13

An engineer is configuring a BOT device for a Jabber user in Cisco Unified Communication Manager Which phone type must be selected?

- A. third-party SIP device
- B. Cisco Dual Mode for iPhone
- C. Cisco Dual Mode for Android
- D. Cisco Unified Client Services Framework

Correct Answer: C

Reference: https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/jabber/11_5/CJAB_BK_D00D8CBD_00_deployment-installation-guide-cisco-jabber115/CJAB_BK_D00D8CBD_00_deployment-installation-guide-ciscojabber115_chapter_01000.html


QUESTION 14

DRAG DROP

According to the QoS Baseline Model, drag and drop the applications from the left onto the correct Per-Hop Behavior values on the right.


Select and Place:

Answer Area



Correct Answer:

Answer Area



QUESTION 15

Endpoint A is attempting to call endpoint B. Endpoint A only supports G.711 ulaw with a packetization rate of 20 ms, and endpoint B supports packetization rate of 30 ms for G.711ulaw. Which two media are resources are allocated to normalize packetization rates through transrating?

- A. Hardware MTP on Cisco IOS Software
- B. Software MTP on Cisco Unified Communication Manager
- C. Software MTP on Cisco IOS Software
- D. Software transcoder on Cisco unified Communications manager
- E. Hardware transcoder on Cisco IOS Software

Correct Answer: BD

Latest 350-801 Dumps

350-801 VCE Dumps

350-801 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.